

721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannahis.com

**DEA No.** RA0571996 FL License # CMTL-0003 CLIA No. 10D1094068

D8 HASH Sample Matrix: CBD/HEMP Derivative Products (Inhalation - Heated)



# **Certificate of Analysis**

**Compliance Test** 

**HIGHLY CONCENTR8ED** 1919 NORTHGATE BOULEVARD SARASOTA, FL 34234

Batch # HC8-HSH Batch Date: 2022-08-10 Extracted From: HEMP Test Reg State: Florida

Production Facility: HIGHLY

Production Date: 2022-08-10

Order # HIG220810-130001 Order Date: 2022-08-10 Sample # AADF972

**Sampling Date:** 2022-08-12 **Lab Batch Date:** 2022-08-12 Completion Date: 2022-08-16 Initial Gross Weight: 45.722 g









Product Image

### Delta 8/Delta 10 **Tested** SOP13.043 (LCUV) Potency 12

Specimen Weight: 197.760 mg

	 -				
Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)	
Delta-8 THC	2.60E-5	0.001	540.590	54.059	
CBGA	8.00E-5	0.001	53.160	5.316	
CBG	2.48E-4	0.001	6.300	0.630	
CBDA	1.00E-5	0.001	4.610	0.461	
CBD	5.40E-5	0.001	3.150	0.315	
CBN	1.40E-5	0.001	1.120	0.112	
CBC	1.80E-5	0.001		<l0q< td=""><td></td></l0q<>	
THCA	3.20E-5	0.001		<l0q< td=""><td></td></l0q<>	
Delta-9 THC	1.30E-5	0.1		<l0q< td=""><td></td></l0q<>	
Delta-10 THC	3.00E-6	0.001		<l0q< td=""><td></td></l0q<>	
CBDV	6.50E-5	0.001		<l0q< td=""><td></td></l0q<>	
THCV	7.00E-6	0.001		<l0q< td=""><td></td></l0q<>	

Potency Summar
----------------

	•
Total Delta 8 54.059%	Total Delta 10 None Detected
Total THC None Detected	Total CBD 0.719%
Total CBG 5.292%	Total CBN 0.112%
Other Cannabinoids None Detected	Total Cannabinoids 60.182%

## **Heavy Metals**

Specimen Weight: 246.010 mg

**Passed** SOP13.048 (ICP-MS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<l0q< td=""><td>Lead (Pb)</td><td>11.76</td><td>100</td><td>500</td><td>120.000</td></l0q<>	Lead (Pb)	11.76	100	500	120.000
Cadmium (Cd)	64	100	500	<1.00	Mercury (Ha)	58	100	3000	<1.00

Xueli Gao Ph.D., DABT

Aixia Sun

D.H.Sc., M.Sc., B.Sc., MT (AAB)







Definitions and Abbreviations used in this report: Total CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THCO-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Other Cannabinoids Total = Total CBNA \* 0.877) + CBN, Total CBC + Total CBN + CBL + Total THC + Total CBC + Total CBN + Total THC + Total THC + Total CBC + Total CBN + CBL + Total THC + Total CBC + Total CBN + CBL + Total THC + Total CBC + Total CBN + CBL + Total THC + Total CBC + Total CBN + CBL + Total THC + Total CBC + Total CBN + CBL + Total THC + Total CBC + Total CBN + CBL + Total THC + Total THC + Total CBC + Total CBN + CBL + Total THC + Total THC + Total CBC + Total CBN + CBL + Total THC + Total THC + Total CBC + Total CBC + Total CBN + CBL + Total THC + Total THC + Total CBC + Total CBC + Total CBN + CBL + Total THC + Total THC + Total CBC + Total CBC + Total CBN + CBL + Total THC + Total THC + Total CBC + Total CBC + Total CBN + Total THC + Total THC + Total CBC + Total CBC + Total CBN + Total THC + Total THC + Total CBC + Total CBC + Total CBN + Total THC + Total THC + Total CBC + Total C

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.

QA By: 1057 on 2022-08-16 18:22:32 V1



721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com

**DEA No.** RA0571996 FL License # CMTL-0003 **CLIA No.** 10D1094068

**D8 HASH** Sample Matrix: CBD/HEMP **Derivative Products** (Inhalation - Heated)



# **Certificate of Analysis**

**Compliance Test** 

**HIGHLY CONCENTR8ED** 1919 NORTHGATE BOULEVARD

Batch # HC8-HSH Batch Date: 2022-08-10 Extracted From: HEMP Test Reg State: Florida

Production Facility: HIGHLY

CONCENTRRED Production Date: 2022-08-10

SARASOTA, FL 34234

**Sampling Date:** 2022-08-12 **Lab Batch Date:** 2022-08-12 **Completion Date:** 2022-08-16

Initial Gross Weight: 45.722 g

### Residual Solvents - FL (CBD)

**Passed** SOP13.039 (GCMS)

Specimen Weight: 13.600 mg

Order # HIG220810-130001 Order Date: 2022-08-10 Sample # AADF972

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<l0q< td=""><td>Heptane</td><td>0.0013</td><td>1.39</td><td>5000</td><td><l0q< td=""></l0q<></td></l0q<>	Heptane	0.0013	1.39	5000	<l0q< td=""></l0q<>
1,2-Dichloroethane	0.0003	0.04	5	<l0q< td=""><td>Hexane</td><td>0.068</td><td>1.17</td><td>290</td><td><l0q< td=""></l0q<></td></l0q<>	Hexane	0.068	1.17	290	<l0q< td=""></l0q<>
Acetone	0.015	2.08	5000	<l0q< td=""><td>Isopropyl alcohol</td><td>0.0048</td><td>1.39</td><td>500</td><td>14.419</td></l0q<>	Isopropyl alcohol	0.0048	1.39	500	14.419
Acetonitrile	0.06	1.17	410	<l0q< td=""><td>Methanol</td><td>0.0005</td><td>0.69</td><td>3000</td><td><l0q< td=""></l0q<></td></l0q<>	Methanol	0.0005	0.69	3000	<l0q< td=""></l0q<>
Benzene	0.0002	0.02	2	<l0q< td=""><td>Methylene chloride</td><td>0.0029</td><td>2.43</td><td>600</td><td><l0q< td=""></l0q<></td></l0q<>	Methylene chloride	0.0029	2.43	600	<l0q< td=""></l0q<>
Butanes	0.4167	2.5	2000	<l0q< td=""><td>Pentane</td><td>0.037</td><td>2.08</td><td>5000</td><td><l0q< td=""></l0q<></td></l0q<>	Pentane	0.037	2.08	5000	<l0q< td=""></l0q<>
Chloroform	0.0001	0.04	60	<l0q< td=""><td>Propane</td><td>0.031</td><td>5.83</td><td>2100</td><td><l0q< td=""></l0q<></td></l0q<>	Propane	0.031	5.83	2100	<l0q< td=""></l0q<>
Ethanol	0.0021	2.78	5000	<l0q< td=""><td>Toluene</td><td>0.0009</td><td>2.92</td><td>890</td><td><l0q< td=""></l0q<></td></l0q<>	Toluene	0.0009	2.92	890	<l0q< td=""></l0q<>
Ethyl Acetate	0.0012	1.11	5000	<l0q< td=""><td>Total Xylenes</td><td>0.0001</td><td>2.92</td><td>2170</td><td><l0q< td=""></l0q<></td></l0q<>	Total Xylenes	0.0001	2.92	2170	<l0q< td=""></l0q<>
Ethyl Ether	0.0049	1.39	5000	<l0q< td=""><td>Trichloroethylene</td><td>0.0014</td><td>0.49</td><td>80</td><td><l0q< td=""></l0q<></td></l0q<>	Trichloroethylene	0.0014	0.49	80	<l0q< td=""></l0q<>
Ethylono Oxido	0.0020	0.1	5	-1.00					

Xueli Gao

Ph.D., DABT

Lab Toxicologist

Lab Director/Principal Scientist Aixia Sun

D.H.Sc., M.Sc., B.Sc., MT (AAB)





Definitions and Abbreviations used in this report: Total CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THCO-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Deltected Cannabinoids = Delta6a 10-a-THC + Delta8-THC + Total CBN + Total CBN + Total CBN + Total TBN + CHCA + CBL + Total THC + Total CBC + Total CBDV + Delta1 - THC + Total THC + CBL + Total THC + Total CBC + Total CBDV + Delta1 - THC + Total THC - O-Acetate, Analyte Details above show the Dry Weight Concentrations unless specified as 12% moisture concentration. (mg/ml) = Milligrams per Milligrams per Milligram per Gram (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram, \*Measurement of Uncertainty = +/- 10%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.